

From: [Turner, Philip](#)  
To: [Delgado, Paige](#)  
Cc: [Foster, Althea](#); [Hayes, Mark](#); [Petersen, Chris](#); [Rauscher, Jon](#)  
Subject: RE: West Fertilizer QASP  
Date: Saturday, April 20, 2013 1:58:39 PM

---

I only have one comment on the QASP (other than the obvious details that need filling in) is:

The DQO states only a determination of release of site-related contamination to the surrounding environment. This does not account for the objective of use of screening values. Determination of release would not need screening values. The DQO(s) should include the objective behind the use of screening values designed to protect public health.

Thanks!

Phil

---

From: Delgado, Paige  
Sent: Saturday, April 20, 2013 11:16 AM  
To: Turner, Philip  
Subject: FW: West Fertilizer QASP

[Mark Hayes](#)  
2142327134



---

From: Cheek, Sam [mailto:[Sam.Cheek@WestonSolutions.com](mailto:Sam.Cheek@WestonSolutions.com)]  
Sent: Saturday, April 20, 2013 5:26 AM  
To: Delgado, Paige  
Subject: West Fertilizer QASP

Sorry this is the document I reviewed.

Samuel O. Cheek, CSP  
Senior Safety Officer/EPA-START Region 6 Emergency Responder  
Weston Solutions – Dallas Office  
3900 Dallas Parkway STE 175  
Plano, TX 75093  
(P) 469.666.5585  
(C) 972.977.1579  
<http://www.westonsolutions.com>  
**WESTON Core Values: Client Focus, Integrity, Teamwork, Safety,  
Making a difference, Exceptional Quality**



9441977

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.